


COMPLETE ASBVs, SC & WEIGHT GUIDE

Kennedy Creek Poll Dorset Stud Sale Catalogue 2011/2012



Kennedy Creek Poll Dorset stud

Stud and flock ram sale 2011/12

We have a total selection of 162 rams available in this catalogue for purchase, including stud and flock rams. There are four rams that are to be retained in stud (highlighted in yellow), with a further two rams that may be retained by opening of sale date (10th October 2011).

There are two main birth periods in these sale rams – May/early June 2010 or late August/September 2010. Rams with tag numbers over 366 are in the second of these groups, hence have lower bodyweight.

All rams have been assessed for scrotal circumference in late September. We consider all rams over 30cm scrotal circumference (SC) to be of appropriate fertility. Rams with scrotal circumference less than 30cm may be of lower fertility (hence the few rams in this catalogue with SC less than this are of reduced price – part of this low SC may be due to low bodyweight so low SC rams will be reassessed). We suggest using a joining rate of approximately 1 ram to 50 ewes in yearling rams. A lower percentage of rams may be used but does not take into account any injuries or illnesses that may occur in your ram team during the joining season.

All rams have been vaccinated as lambs with 6 in 1 vaccine and again in August 2011. We advise vaccinating your rams twice yearly (prior to changing feed or if going onto grain rations). This is primarily to reduce the chance of pulpy kidney. All rams have been vaccinated using Gudair and our property carries a JDMN3 rating. We are also ovine brucellosis free and have been since the OB program began. We have no history of lice or footrot in the stud and do not trade sheep to avoid the chance of bringing this in.

Our rams are only fed grain as a supplementary (drought) ration, rather than for performance. For this reason they do not look as big as some other rams, however you will find they continue to grow out for at least another twelve months (hence will require good quality feed in this time). Photographs will be available of all rams in the next week or two.

Prices of all rams are available on application (please send us an email – kennedycreek@polldorset.org.au, or call us 0357621362). If you have any particular ram requirements or want to discuss ram purchases please contact us.

There are a number of abbreviations on the following pages – a brief summary:

BWT = birthweight, WWT = weaning weight, PWT = post weaning weight, PFAT = post weaning fat, PEMD = post weaning eye muscle, Cplus = carcase plus index, Trade \$ = Trade index, L2020 = Lamb 2020 index, SC = scrotal circumference (widest measurement around scrotum).

The Barber Family.

| Ram ID | BWT | WWT | PWT | PFAT | PEMD | Cplus | Trade \$ | L 2020 | Sire | Number | SC (cm) | Weight (kg) |
|--------|------|-----|------|------|------|-------|----------|--------|------|--------|---------|-------------|
| 001 | 0.32 | 8.6 | 12.6 | -1.3 | 0.9 | 179 | 112 | 111 | UP | 292/06 | 35.5 | 95.5 |
| 002 | 0.56 | 9 | 12.5 | -0.9 | 0.5 | 174 | 111 | 110 | Wyn | 85/09 | 33.5 | 104 |
| 005 | 0.74 | 9.2 | 15.2 | -1.1 | 0.9 | 189 | 113 | 112 | Wyn | 110/09 | 33.5 | 86 |
| 009 | 0.57 | 8.8 | 13.7 | -0.3 | 0.9 | 180 | 112 | 111 | KC | 84/08 | 33.5 | 85.5 |
| 013 | 0.52 | 8.3 | 13.9 | 0.3 | 2.2 | 192 | 114 | 112 | KC | 84/08 | 31.5 | 94 |
| 015 | 0.45 | 7.2 | 10.6 | -0.5 | 1.9 | 178 | 111 | 110 | KC | 58/08 | 29.5 | 73.5 |
| 017 | 0.56 | 8.2 | 14 | -0.2 | 1.5 | 186 | 113 | 112 | KC | 44/09 | 37.5 | 101 |
| 025 | 0.53 | 7.6 | 11.3 | -1.1 | 0.6 | 169 | 110 | 110 | KC | 22/09 | 33.5 | 89.5 |
| 026 | 0.61 | 8.7 | 13.6 | -0.9 | 1 | 183 | 113 | 111 | KC | 488/07 | 35 | 85.5 |
| 027 | 0.64 | 9.2 | 13.7 | -1.1 | 1.4 | 190 | 113 | 112 | KC | 488/07 | 33.5 | 96.5 |
| 030 | 0.41 | 7.3 | 10.9 | -0.5 | 0.7 | 166 | 110 | 109 | KD | 378/05 | 31.5 | 80 |
| 031 | 0.45 | 8 | 12 | -0.4 | 1.1 | 174 | 111 | 110 | KD | 378/05 | 31 | 86 |
| 032 | 0.56 | 9.2 | 13.8 | -0.9 | 1.2 | 187 | 113 | 111 | KC | 58/08 | 32.5 | 83.5 |
| 033 | 0.37 | 6.6 | 9.2 | -0.7 | 1.6 | 169 | 110 | 110 | KC | 22/09 | 32 | 74.5 |
| 039 | 0.5 | 6.8 | 10.5 | -1.2 | 1 | 168 | 110 | 110 | KC | 22/09 | 30.5 | 81.5 |
| 045 | 0.5 | 8.5 | 11.6 | -1.3 | 1.8 | 186 | 112 | 112 | Wyn | 939/08 | 34.5 | 76.5 |
| 049 | 0.24 | 7.5 | 11.3 | -0.2 | 2.2 | 183 | 112 | 112 | KC | 482/09 | 32 | 77.5 |
| 053 | 0.51 | 9.3 | 14.6 | -1.2 | 0.8 | 187 | 113 | 112 | KC | 488/07 | 35 | 93 |
| 054 | 0.53 | 7.6 | 11 | -0.9 | 0.5 | 166 | 110 | 109 | KC | 304/08 | 32 | 71 |
| 056 | 0.5 | 8.5 | 12.9 | -0.6 | 0.9 | 178 | 112 | 110 | KD | 378/05 | 31.5 | 86 |

| Ram ID | BWT | WWT | PWT | PFAT | PEMD | Cplus | Trade \$ | L 2020 | Sire | Number | SC (cm) | Weight (kg) |
|--------|------|-----|------|------|------|-------|----------|--------|------|--------|---------|-------------|
| 062 | 0.43 | 8.2 | 12 | -0.7 | 0.9 | 174 | 111 | 110 | KC | 58/08 | 32 | 78 |
| 063 | 0.56 | 7.7 | 10.7 | -1.2 | 0.4 | 165 | 110 | 108 | KD | 378/05 | 29 | 79 |
| 064 | 0.54 | 7.4 | 10.8 | -1.5 | 0 | 161 | 109 | 108 | KD | 378/05 | 30 | 78 |
| 065 | 0.26 | 6.6 | 9.9 | -0.6 | 1.6 | 170 | 110 | 110 | KC | 74/09 | 37 | 81.5 |
| 073 | 0.45 | 7.6 | 12.7 | -0.5 | 0.9 | 174 | 111 | 110 | KC | 304/08 | 33 | 81 |
| 074 | 0.48 | 8.1 | 13.4 | -0.3 | 0.6 | 174 | 112 | 110 | KC | 304/08 | 33 | 73 |
| 077 | 0.29 | 6.8 | 10.2 | -0.7 | 2 | 177 | 111 | 110 | KC | 58/08 | 31.5 | 72.5 |
| 078 | 0.44 | 8 | 13.1 | -0.6 | 0.9 | 178 | 112 | 111 | KC | 74/09 | 33 | 99 |
| 081 | 0.54 | 7.2 | 11.8 | -0.3 | 1.2 | 173 | 111 | 110 | KC | 304/08 | 34 | 80 |
| 085 | 0.34 | 6.9 | 11.3 | -0.4 | 2.1 | 181 | 112 | 111 | KC | 44/09 | 34.5 | 83.5 |
| 089 | 0.37 | 8 | 12.2 | -0.9 | 1.2 | 179 | 112 | 111 | KC | 22/09 | 33.5 | 91 |
| 097 | 0.48 | 7.5 | 11.1 | -0.8 | 1.2 | 173 | 111 | 110 | KC | 58/08 | 32.5 | 74 |
| 102 | 0.75 | 9.3 | 13.4 | -1.3 | 0.2 | 176 | 111 | 110 | KC | 58/08 | 33.5 | 90 |
| 103 | 0.42 | 7.5 | 11.1 | -0.4 | 1.3 | 172 | 111 | 110 | KC | 304/08 | 30.5 | 79 |
| 106 | 0.57 | 8.5 | 12.6 | -0.4 | 1.4 | 182 | 112 | 111 | KC | 304/08 | 32.5 | 81 |
| 107 | 0.36 | 7.6 | 12.1 | -0.8 | 1.1 | 176 | 111 | 110 | KC | 488/07 | 31.5 | 65 |
| 115 | 0.64 | 9 | 14.4 | -0.3 | 0.8 | 182 | 113 | 111 | KC | 84/08 | 33.5 | 94 |
| 117 | 0.19 | 7.2 | 11.3 | -0.1 | 1.9 | 178 | 111 | 111 | KC | 482/09 | 31 | 88 |
| 120 | 0.7 | 9.4 | 13.6 | -1.4 | 0 | 175 | 111 | 110 | KD | 378/05 | 32.5 | 93.5 |
| 121 | 0.55 | 8.2 | 13.6 | -0.9 | 1.7 | 189 | 113 | 112 | KC | 304/08 | 34.5 | 77 |
| 122 | 0.58 | 8.7 | 14.4 | -0.7 | 1.6 | 191 | 114 | 112 | KC | 304/08 | 33 | 93.5 |

| Ram ID | BWT | WWT | PWT | PFAT | PEMD | Cplus | Trade \$ | L 2020 | Sire | Number | SC (cm) | Weight (kg) |
|--------|------|------|------|------|------|-------|----------|--------|------|--------|---------|-------------|
| \124 | 0.64 | 8.1 | 13 | -1.1 | 0.7 | 177 | 112 | 110 | KC | 488/07 | 33.5 | 88 |
| 125 | 0.32 | 8.4 | 12.6 | -0.8 | 1.6 | 186 | 112 | 112 | KC | 22/09 | 33 | 87.5 |
| 127 | 0.59 | 7.9 | 11.8 | -0.3 | 0.9 | 171 | 111 | 109 | KD | 378/05 | 31.5 | 90 |
| 134 | 0.52 | 8.7 | 12.7 | -1.3 | 1.2 | 184 | 112 | 111 | KC | 58/08 | 31.5 | 76 |
| 135 | 0.31 | 7.4 | 10.9 | -0.1 | 2.5 | 184 | 112 | 112 | KC | 482/09 | 28 | 77 |
| 136 | 0.14 | 5.8 | 9.1 | 0.7 | 3.4 | 181 | 111 | 112 | KC | 482/09 | 30.5 | 70.5 |
| 139 | 0.54 | 7.7 | 11.7 | -1.4 | 0.1 | 165 | 110 | 108 | KC | 488/07 | 34.5 | 78.5 |
| 141 | 0.74 | 10.2 | 15.2 | -1.9 | 0 | 185 | 113 | 111 | KC | 488/07 | 34.5 | 90 |
| 144 | 0.45 | 7.4 | 12.3 | -0.2 | 0.7 | 169 | 111 | 109 | KC | 84/08 | 32.5 | 75 |
| 146 | 0.56 | 7.7 | 11.3 | -1 | 0.9 | 171 | 111 | 109 | KC | 58/08 | 32 | 65.5 |
| 156 | 0.5 | 8.2 | 12.4 | -1 | 0.4 | 170 | 111 | 110 | KD | 378/05 | 32 | 83 |
| 157 | 0.62 | 8.5 | 12.9 | -0.8 | 0.5 | 174 | 111 | 110 | KD | 378/05 | 29.5 | 76.5 |
| 162 | 0.62 | 7.7 | 10.8 | -1.1 | 1.1 | 173 | 110 | 110 | KC | 58/08 | 30 | 75 |
| 164 | 0.59 | 9.1 | 13.4 | -0.8 | 0.8 | 181 | 112 | 111 | KC | 58/08 | 33 | 74.5 |
| 172 | 0.41 | 7.2 | 12.2 | -0.8 | 1.9 | 184 | 112 | 112 | KC | 74/09 | 34.5 | 87 |
| 180 | 0.43 | 7.6 | 12.1 | 0.4 | 1.1 | 171 | 111 | 110 | KC | 304/08 | 32 | 75 |
| 186 | 0.42 | 8.8 | 13.5 | -0.7 | 1.4 | 186 | 113 | 112 | KC | 22/09 | 32 | 81 |
| 188 | 0.28 | 7.4 | 11 | -0.2 | 2.2 | 182 | 112 | 111 | KC | 58/08 | 32 | 80.5 |
| 190 | 0.61 | 8.1 | 12.8 | -0.6 | 1.4 | 182 | 112 | 111 | KC | 304/08 | 33 | 86 |
| 193 | 0.56 | 8.3 | 12.2 | -1 | 1.3 | 180 | 112 | 110 | KC | 304/08 | 32.5 | 76.5 |
| 197 | 0.52 | 7.1 | 10.1 | -0.7 | 1.4 | 170 | 110 | 110 | KC | 304/08 | 31.5 | 68.5 |

| Ram ID | BWT | WWT | PWT | PFAT | PEMD | Cplus | Trade \$ | L 2020 | Sire | Number | SC (cm) | Weight (kg) |
|--------|------|-----|------|------|------|-------|----------|--------|------|--------|---------|-------------|
| 198 | 0.53 | 6.8 | 9.6 | -0.6 | 1.3 | 167 | 110 | 109 | KC | 304/08 | 29 | 67.5 |
| 199 | 0.44 | 6.8 | 10.4 | -1 | 1.6 | 174 | 111 | 110 | KC | 22/09 | 32.5 | 77.5 |
| 202 | 0.46 | 8.5 | 12.5 | -1.3 | 0.7 | 176 | 111 | 110 | KC | 488/07 | 33.5 | 83 |
| 203 | 0.51 | 7.6 | 11.2 | -1.1 | 0.3 | 165 | 110 | 108 | KD | 378/05 | 33.5 | 81 |
| 210 | 0.65 | 8.1 | 11.9 | -1 | 0.1 | 165 | 110 | 109 | KC | 58/08 | 32.5 | 102.5 |
| 213 | 0.35 | 7 | 10 | -0.3 | 1.2 | 166 | 110 | 109 | KD | 378/05 | 32.5 | 77.5 |
| 215 | 0.49 | 8.8 | 13.2 | -0.9 | 1.1 | 182 | 112 | 111 | KC | 58/08 | 32.5 | 86.5 |
| 217 | 0.64 | 9.5 | 14.3 | -1.3 | 0.3 | 181 | 112 | 111 | KC | 22/09 | 34.5 | 95 |
| 218 | 0.55 | 8.6 | 13.5 | -1 | 0.7 | 180 | 112 | 111 | KC | 22/09 | 33.5 | 89 |
| 219 | 0.68 | 9.7 | 13.2 | -1.5 | 0.8 | 184 | 112 | 111 | KC | 440/07 | 34.5 | 88.5 |
| 224 | 0.71 | 10 | 14.2 | -2.2 | -0.5 | 176 | 111 | 110 | KC | 488/07 | 34.5 | 90.5 |
| 226 | 0.56 | 7.8 | 11.7 | 0 | 1 | 170 | 111 | 110 | KC | 304/08 | 31.5 | 83 |
| 229 | 0.5 | 7.7 | 10.3 | -0.6 | 1.8 | 177 | 111 | 110 | KC | 440/07 | 32 | 74.5 |
| 231 | 0.47 | 8 | 12 | -0.5 | 1.6 | 181 | 112 | 110 | KC | 58/08 | 32.5 | 78.5 |
| 232 | 0.43 | 7.5 | 11.4 | -0.7 | 1.5 | 177 | 111 | 110 | KC | 58/08 | 32.5 | 78 |
| 233 | 0.4 | 8.3 | 10.9 | -1.7 | 1.4 | 180 | 111 | 110 | KC | 440/07 | 30.5 | 72 |
| 235 | 0.62 | 8.1 | 11.5 | -1.1 | 1.3 | 178 | 111 | 110 | KD | 378/05 | 30 | 78.5 |
| 236 | 0.52 | 6.4 | 9.6 | -0.9 | 1 | 163 | 109 | 108 | KC | 58/08 | 35 | 81.5 |
| 242 | 0.57 | 7.7 | 10.3 | -1 | 1.1 | 170 | 110 | 110 | KC | 58/08 | 29.5 | 70.5 |
| 244 | 0.5 | 8.6 | 13.1 | -1 | 1.1 | 182 | 112 | 112 | KC | 482/09 | 32 | 89 |
| 245 | 0.48 | 7.6 | 11.4 | -0.6 | 1.3 | 175 | 111 | 111 | KC | 482/09 | 33.5 | 84.5 |

| Ram ID | BWT | WWT | PWT | PFAT | PEMD | Cplus | Trade \$ | L 2020 | Sire | Number | SC (cm) | Weight (kg) |
|--------|------|-----|------|------|------|-------|----------|--------|------|--------|---------|-------------|
| 246 | 0.42 | 8.7 | 11.3 | -1.1 | 0.6 | 171 | 110 | 109 | KC | 440/07 | 33 | 82.5 |
| 248 | 0.43 | 7.1 | 10.5 | -0.8 | 0.9 | 166 | 110 | 109 | KD | 378/05 | 32.5 | 73.5 |
| 250 | 0.44 | 7.4 | 11.4 | -0.8 | 1.3 | 175 | 111 | 110 | KC | 488/07 | 34.5 | 75 |
| 252 | 0.58 | 7.4 | 10.1 | -1.5 | 1.3 | 174 | 110 | 110 | KC | 440/07 | 30.5 | 81.5 |
| 256 | 0.48 | 6.9 | 10.1 | -0.9 | 0.8 | 165 | 109 | 108 | KD | 378/05 | 33 | 74.5 |
| 264 | 0.57 | 8.4 | 11.4 | -1.9 | 0.5 | 173 | 110 | 110 | KC | 440/07 | 32 | 84 |
| 269 | 0.56 | 7.3 | 10.6 | -0.7 | 1.6 | 175 | 111 | 111 | KC | 22/09 | 35 | 75.5 |
| 274 | 0.49 | 7.2 | 10.4 | -0.7 | 1.6 | 174 | 111 | 110 | KC | 58/08 | 33 | 73.5 |
| 280 | 0.55 | 8.9 | 14 | -1.4 | 0.5 | 181 | 112 | 111 | KC | 488/07 | 32 | 80 |
| 285 | 0.59 | 8.6 | 11 | -1.9 | -0.1 | 165 | 109 | 109 | Wyn | 265/07 | 34 | 99.5 |
| 288 | 0.49 | 7.6 | 11.2 | -1.6 | 0.6 | 170 | 110 | 109 | KC | 488/07 | 35 | 76 |
| 295 | 0.34 | 7.2 | 10.7 | -0.6 | 1.6 | 174 | 111 | 111 | KC | 482/09 | 28.5 | 73 |
| 297 | 0.23 | 6.7 | 10.2 | 0 | 2.3 | 178 | 111 | 110 | KD | 378/05 | 33.5 | 80.5 |
| 299 | 0.39 | 7 | 10.9 | -1.3 | 0.8 | 170 | 110 | 110 | KC | 74/09 | 34.5 | 89 |
| 308 | 0.51 | 8.7 | 13.5 | -1.2 | 1 | 184 | 112 | 111 | KC | 488/07 | 34 | 83.5 |
| 311 | 0.43 | 7.3 | 11.3 | -0.8 | 1.2 | 174 | 111 | 110 | KC | 58/08 | 31 | 74 |
| 319 | 0.41 | 8.2 | 11.1 | -1.7 | 0.7 | 173 | 110 | 110 | KC | 440/07 | 31.5 | 75.5 |
| 321 | 0.67 | 8.9 | 15.4 | -1.2 | 0.1 | 180 | 113 | 111 | KC | 488/07 | 37.5 | 101 |
| 322 | 0.45 | 8.5 | 13.3 | -1.1 | 0.7 | 179 | 112 | 110 | KC | 488/07 | 32.5 | 81.5 |
| 327 | 0.61 | 8.6 | 11.5 | -1.2 | 1.3 | 180 | 111 | 111 | KC | 440/07 | 31.5 | 79 |
| 329 | 0.53 | 7.4 | 10.5 | -0.7 | 0.8 | 165 | 110 | 108 | KD | 378/05 | 33 | 79.5 |

| Ram ID | BWT | WWT | PWT | PFAT | PEMD | Cplus | Trade \$ | L 2020 | Sire | Number | SC (cm) | Weight (kg) |
|--------|------|-----|------|------|------|-------|-------------|-----------|------|--------|---------|----------------|
| 337 | 0.48 | 7.1 | 10.6 | -0.9 | 1.3 | 173 | 110 | 110 | KC | 304/08 | 33 | 82 |
| 345 | 0.43 | 6.9 | 9.2 | -0.9 | 1.2 | 166 | 109 | 109 | KC | 58/08 | 30 | 72 |
| 348 | 0.59 | 8.8 | 13.8 | -0.8 | 1.1 | 184 | 113 | 111 | KC | 84/08 | 29 | 82 |
| 350 | 0.57 | 8.6 | 12.8 | -1.6 | 0.3 | 175 | 111 | 111 | KC | 74/09 | 34.5 | 77 |
| 356 | 0.46 | 7.4 | 11.2 | -0.8 | 1.5 | 177 | 111 | 110 | KC | 304/08 | 33.5 | 77 |
| 366 | 0.47 | 7.5 | 11.3 | 0 | 2.4 | 184 | 112 | 112 | KC | 304/08 | 30 | 81 |
| 372 | 0.41 | 8.6 | 12.4 | -1.1 | 1.3 | 182 | 112 | 112 | UP | 292/06 | 36 | 73.5 |
| 373 | 0.29 | 8.3 | 12.2 | -1.1 | 1.5 | 183 | 112 | 112 | UP | 292/06 | 32.5 | 73 |
| 374 | 0.4 | 7.7 | 11.4 | -0.6 | 0.6 | 167 | 110 | 110 | Wyn | 86/09 | 34 | 67 |
| 375 | 0.39 | 7.8 | 11.8 | -0.3 | 1 | 172 | 111 | 111 | Wyn | 86/09 | 32 | 74.5 |
| 376 | 0.31 | 8.3 | 11.8 | -1.1 | 1.4 | 181 | 112 | 112 | UP | 292/06 | 31.5 | 76.5 |
| 378 | 0.44 | 9.2 | 13.4 | -0.9 | 1.8 | 193 | 113 | 113 | KC | 186/09 | 32 | 71 |
| 381 | 0.54 | 7.5 | 12.1 | -0.4 | 0.7 | 169 | 111 | 110 | KC | 83/09 | 30 | 72.5 |
| 382 | 0.46 | 7 | 11.7 | -0.4 | 0.7 | 166 | 110 | 110 | KC | 83/09 | 30.5 | 73.5 |
| 383 | 0.5 | 9 | 13.3 | -1.2 | 1.2 | 187 | 113 | 112 | KD | 541/08 | 33.5 | 80 |
| 384 | 0.42 | 8.1 | 12.2 | -0.9 | 1.3 | 180 | 112 | 112 | KD | 541/08 | 31.5 | 81.5 |
| 389 | 0.37 | 6.5 | 10.7 | -0.9 | 0.8 | 165 | 110 | 109 | KC | 83/09 | 33 | 64 |
| 397 | 0.57 | 7.3 | 10.8 | -0.9 | 0.5 | 164 | 110 | 108 | KD | 378/05 | 32 | 76 |
| 403 | 0.43 | 7.5 | 11.2 | -1 | 0.7 | 169 | 110 | 109 | KD | 378/05 | 30 | 68.5 |
| 405 | 0.41 | 6.7 | 11.7 | -0.6 | 2.5 | 188 | 113 | 113 | KC | 74/09 | 32 | 64 |
| 417 | 0.51 | 9.2 | 13.4 | -0.9 | 1.2 | 186 | 113 | 112 | KC | 186/09 | 30 | 70.5 |

| Ram ID | BWT | WWT | PWT | PFAT | PEMD | Cplus | Trade \$ | L 2020 | Sire | Number | SC (cm) | Weight (kg) |
|--------|------|-----|------|------|------|-------|----------|--------|------|--------|---------|-------------|
| 422 | 0.61 | 8 | 11.6 | -0.8 | 0.7 | 171 | 111 | 109 | KD | 378/05 | 33.5 | 69 |
| 427 | 0.35 | 6.1 | 9.9 | -0.6 | 1.6 | 170 | 110 | 110 | KC | 186/09 | 30 | 68.5 |
| 429 | 0.35 | 6.8 | 10.5 | -0.5 | 0.9 | 165 | 110 | 110 | KC | 83/09 | 31.5 | 65.5 |
| 432 | 0.4 | 7.2 | 10.5 | -0.8 | 1.9 | 179 | 111 | 111 | KC | 186/09 | 32.5 | 66 |
| 433 | 0.33 | 7.2 | 10.9 | -0.2 | 2.2 | 180 | 112 | 111 | KC | 186/09 | 28.5 | 68 |
| 434 | 0.45 | 8.3 | 11.9 | -0.9 | 0.8 | 174 | 111 | 110 | KC | 58/08 | 32 | 75.5 |
| 436 | 0.52 | 8.1 | 11.8 | -0.2 | 1.7 | 180 | 112 | 111 | KC | 58/08 | 33 | 69.5 |
| 438 | 0.52 | 8.9 | 13.4 | -1 | 2.3 | 198 | 114 | 114 | KC | 74/09 | 30.5 | 58.5 |
| 439 | 0.55 | 8.8 | 13.4 | -1.2 | 1.8 | 193 | 113 | 113 | KC | 74/09 | 32.5 | 68.5 |
| 440 | 0.36 | 9.2 | 14 | -1.2 | 1.8 | 196 | 114 | 114 | KD | 541/08 | 36 | 80 |
| 443 | 0.51 | 8.9 | 13 | -1.1 | 0.8 | 180 | 112 | 111 | KC | 186/09 | 33.5 | 78.5 |
| 445 | 0.49 | 7.1 | 10.8 | -1.4 | 1.1 | 173 | 110 | 110 | Wyn | 939/08 | 34 | 69.5 |
| 446 | 0.47 | 7.2 | 11.3 | -1.2 | 2.1 | 186 | 112 | 112 | Wyn | 939/08 | 34 | 67.5 |
| 457 | 0.43 | 7.3 | 11.3 | -0.8 | 1.3 | 174 | 111 | 110 | KC | 186/09 | 30.5 | 63.5 |
| 459 | 0.47 | 7.9 | 12.7 | -0.3 | 2.1 | 188 | 113 | 112 | KC | 74/09 | 31 | 75 |
| 473 | 0.53 | 9.3 | 14 | -0.5 | 2 | 196 | 114 | 113 | KC | 58/08 | 33.5 | 75 |
| 474 | 0.38 | 7.6 | 12.4 | 0.5 | 1.8 | 180 | 112 | 112 | KC | 83/09 | 30.5 | 74 |
| 476 | 0.52 | 7.9 | 12 | -0.4 | 1.2 | 176 | 111 | 111 | Wyn | 939/08 | 30.5 | 67.5 |
| 485 | 0.53 | 8.5 | 11.8 | -1.1 | 2.4 | 193 | 113 | 113 | Wyn | 939/08 | 32.5 | 67.5 |
| 491 | 0.2 | 6 | 9.9 | 0.2 | 2 | 171 | 110 | 110 | KC | 83/09 | 30 | 57.5 |
| 492 | 0.37 | 6.9 | 11 | -0.5 | 1.5 | 174 | 111 | 110 | KD | 378/05 | 32.5 | 68.5 |

| Ram ID | BWT | WWT | PWT | PFAT | PEMD | Cplus | Trade \$ | L 2020 | Sire | Number | SC (cm) | Weight (kg) |
|--------|------|-----|------|------|------|-------|----------|--------|------|--------|---------|-------------|
| 493 | 0.36 | 7.4 | 11.5 | -0.3 | 2.3 | 185 | 112 | 112 | KC | 83/09 | 33 | 71.5 |
| 500 | 0.51 | 8 | 10.7 | -1.2 | 1 | 172 | 110 | 109 | KD | 378/05 | 32.5 | 74 |
| 505 | 0.52 | 8.5 | 13.2 | -1.4 | 0.5 | 178 | 112 | 110 | Wyn | 939/08 | 32 | 76.5 |
| 506 | 0.42 | 8.2 | 12.9 | -1.3 | 0.8 | 179 | 112 | 111 | Wyn | 939/08 | 33 | 74 |
| 507 | 0.26 | 6.5 | 10.3 | -0.2 | 2.5 | 181 | 112 | 111 | KC | 58/08 | 33.5 | 64 |
| 509 | 0.54 | 8 | 11.9 | -1.2 | 1.3 | 180 | 111 | 111 | Wyn | 939/08 | 33.5 | 68 |
| 510 | 0.52 | 8.3 | 12.2 | -0.8 | 1.3 | 180 | 112 | 111 | Wyn | 939/08 | 31 | 68 |
| 514 | 0.43 | 8 | 12.1 | -0.7 | 2.2 | 190 | 113 | 112 | Wyn | 939/08 | 32.5 | 69.5 |
| 515 | 0.26 | 7.4 | 11.4 | -0.9 | 2.7 | 191 | 113 | 112 | Wyn | 939/08 | 31.5 | 68 |
| 520 | 0.42 | 8.3 | 12.2 | -1.4 | 1.2 | 181 | 112 | 111 | Wyn | 939/08 | 31 | 71.5 |
| 522 | 0.4 | 7.8 | 11.7 | -0.9 | 1.3 | 177 | 111 | 111 | KC | 58/08 | 26 | 55 |
| 523 | 0.45 | 7.3 | 10.2 | -0.4 | 1.4 | 170 | 110 | 109 | KD | 378/05 | 32 | 75.5 |
| 525 | 0.58 | 8.8 | 12.3 | -1.8 | 0.6 | 178 | 111 | 110 | Wyn | 939/08 | 31.5 | 67.5 |
| 526 | 0.46 | 8.2 | 11.2 | -1.2 | 1.8 | 184 | 112 | 111 | Wyn | 939/08 | 32 | 60 |
| 528 | 0.46 | 8.3 | 12.1 | -0.4 | 2 | 186 | 112 | 111 | KC | 58/08 | 30 | 75.5 |
| 530 | 0.57 | 8.4 | 11.6 | -1.4 | 0.8 | 175 | 111 | 110 | Wyn | 939/08 | 31 | 68 |
| 531 | 0.36 | 6.6 | 9.2 | -0.8 | 1.4 | 167 | 109 | 109 | KC | 58/08 | 28 | 54.5 |
| 549 | 0.41 | 8.1 | 12.2 | -0.4 | 1.9 | 185 | 112 | 112 | KC | 76/09 | 30 | 56.5 |
| 550 | 0.41 | 8.1 | 12.2 | -0.4 | 1.9 | 185 | 112 | 112 | KC | 76/09 | 29 | 53 |
| 600 | 0.37 | 7.5 | 11.4 | -1 | 0.7 | 169 | 110 | 109 | KC | 488/07 | 32.5 | 75 |